

EAN: 4002516218074 / material number: 11212640

DA 7078 D Aura 3.0 White Loom

Island cooker hood special suspension with discreet cables and integrated power supply.



- Ultra-flat and round unique design with with 70 cm diameter
- Unique user convenience Con@ctivity
- Sophisticated lighting in a ring optimum illumination
- Decorative filter design 10-ply stainless-steel grease filters
- Efficient odour absorption long-life AirClean filter

Construction type	
Island cooker hood	•
Design	
Colour	Brilliant white
Customisation possible on request	•
Operating modes	
Type of air guide	Recirculation
User convenience	
Automatic function Con@ctivity 3.0 (WiFi)	•
Electronic controls	
Light-touch controls	
Miele@mobile app	•
Power levels (number without Booster level)	3
Booster level	
Programmable Booster level switch-off	<u> </u>
Run-on time 5 / 15 min.	<u> </u>
Grease filter saturation indicator programmable	
Active charcoal filter saturation indicator programmable	•
Cleaning convenience	
Easy-to-clean canopy interior – CleanCover	•
Efficiency and sustainability	
ECO package	•
Filter system	
Number of dishwasher safe stainless steel grease filters	2
Lighting	
LED	475
Light intensity in Lx	475
Colour temperature in K	3,500
Ambient lighting white	•
Fan	_
Single-action fan	-
ECO motor (DC motor) Air throughput in recirculation mode	·
Air throughput in Level 1 (m³/h)	270
Air throughput in Level 2 (m³/h)	360
Air throughput in Level 3 (m ³ /h)	420
Air throughput in Booster level (m³/h)	615
Sound power in Level 1 (dB(A) re 1 pW)	53
Sound power in Level 2 (dB(A) re 1 pW)	
Sound power in Level 3 (dB(A) re 1 pW)	65
Sound power in Booster level (dB(A) re 1 pW)	00
Sound pressure in Level 1 (dB(A) re 20 µPa)	39
Sound pressure in Level 1 (dB(A) re 20 µPa)	39
Sound pressure in Level 3 (dB(A) re 20 µPa)	47
Sound power in Booster level (dB(A) re 1 pW)	61
Safety	01
Outoty	

more information: http://www.miele.co.uk/domestic

Safety switch-off



DA 7078 D Aura 3.0 White Loom

Island cooker hood special suspension with discreet cables and integrated power supply.




Technical data	
Overall height for recirculation mode cooker hoods in mm	700
Canopy width in mm	700
Canopy height in mm	170
Canopy height of round cooker hoods in mm	170
Canopy depth in mm	700
Canopy diameter in mm	700
Minimum height above electric hobs in mm	450
Net weight in kg	22.5
Hard-wired connection	•
Total rated load in kW	0.07
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Installation notes	
Fitting template	•
Combination with WiFi-enabled Miele hob	recommended



DA 7078 D Aura 3.0 White Loom

Island cooker hood special suspension with discreet cables and integrated power supply.





DA7078D - (installation drawings)

1) Cut-out for feeding through the mains cable