

N 50, Built-in warming drawer, 60 x 14 cm, Stainless steel  
N1AHA01NOB



COOKING PASSION SINCE 1877



A 14cm high warming drawer that can link with a 45cm compact oven to fit perfectly into the 60 cm oven niche.

- ✓ Push & Pull – One gentle touch opens and closes your drawer.
- ✓ Stepless temperature control - The warming drawer makes choosing easy with our stepless temperature control from 40°-80°C.

#### Features

##### Technical Data

Construction type : Built-in  
Color / Material Front : Stainless steel  
Maximum number of plates : 14  
Maximum number of espresso cups : 64  
Dimensions of the packed product (HxWxD) : 210 x 660 x 660 mm  
Required niche size for installation (HxWxD) : 140 x 560 x 550 mm  
EAN code : 4242004222484  
Electrical connection rating : 400 W  
Fuse protection : 6 A  
Voltage : 220-240 V  
Frequency : 60; 50 Hz  
Plug type : GB plug



4 242004 222484

*N 50, Built-in warming drawer, 60 x 14 cm,  
Stainless steel  
N1AHA01NOB*

## Features

### Design

- Can accommodate up to:
  - 14 plates
  - 64 espresso cups
- Cavity inner surface: stainless steel
- Elongated designed dials
- Push-Pull opening mechanism

### Programmes/functions

- 4 Functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proving, thawing of delicate foods

### Accessories


- 1 x Anti-slip mat

### Technical information

- Cavity volume: 23 l
- Loading up to 15 kg
- Power cord length 150 cm Cable length
- Total connected load electric: 0.4 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwx): 140 mm x 594 mm x 540 mm
- Niche dimension (hxwx): 140 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual


N 50, Built-in warming drawer, 60 x 14 cm,  
 Stainless steel  
 N1AHA01NOB

## Dimensioned drawings



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm



measurements in mm