N 70, Fully-integrated dishwasher, 60 cm S187ZCX43G







Optional accessories

Z7860X0ACCESSORIES DISHWASHERZ7860X3Stainless steel protection set 81,5 cmZ7863X0Cutlery basketZ7871X0Silver polishing cassette

The dishwasher with cutlery drawer that's flexible to load and offers the comfort of door opening with a light push.

- $\checkmark\,$ Home Connect Add your dishwasher to your home network and enjoy the infinite possibilities of connected services
- $\sqrt{7.7}$ Litres Sparkling clean dishes with just 7.7 litres of water consumption
- $\sqrt{\rm Flex}$ 2 Baskets Flexible baskets, Rack Matic and Flex Cutlery Drawer offers easy loading solutions
- $\sqrt{\text{Zeolith}^{\circ}}$ Outstanding dishwasher drying using natural minerals.
- $\checkmark\,$ Door Open Assist Just push the door gently to open.

Features

Technical Data

Energy Efficiency Class : C Energy Consumption for 100 cycles Eco Programme : 74 kWh Maximum number of place settings : 13 The water consumption of the eco programme in liters per cycle : 7.7 T Programme duration : 3:45 h Airborne acoustical noise emissions : 44 dB Airborne acoustical noise emission class : B Construction type : Built-in Height of removable worktop : 0 mm Dimensions of the product (HxWxD) : 815 x 598 x 550 mm Required niche size for installation (HxWxD) : 815-875 x 600 x 550 mm Approval certificates : CE, VDE Depth with open door 90 degree : 1150 mm Adjustable feet : Yes - all from front Maximum adjustability feet : 60 mm Adjustable plinth : both horizontal and vertical Net weight : 42.836 kg Gross weight : 45.0 kg Connection rating : 2400 W Fuse protection : 10 A Voltage : 220-240 V Frequency: 50; 60 Hz Length of electrical supply cord : 175 cm Plug type : GB plug Length inlet hose : 165 cm Length outlet hose : 190 cm EAN code : 4242004257349 Installation type : Full-integrated





New for 2021

Performance

- Energy Efficiency Class¹: C
- Energy² / Water³: 74 kWh / 7.7 litres
- Capacity: 13 place settings
- Programme duration⁴: 3:45 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 42 dB(A) re 1 pW

Programmes / functions

- 8 programmes: Eco 50 °C, Auto 45-65 °C, Chef 70 °C, Classic 60 °C, Express 45 °C, Glass 40 °C, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Shine, Power Zone, Extra Speed
- Easy Clean Programme
- Silence on Demand (via app)

Flexible design elements

- Flex 2 baskets with coloured TouchPoints
- Flex Cutlery Drawer loading on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Ball bearing wheels on upper basket
- Low friction wheels on bottom basket
- Anti-slip protection strips in upper basket
- Rack Stopper to prevent derailing of bottom basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf
- Glass rack in bottom basket

Innovations and technology

- Home Connect Wi Fi enabled, for dishwasher control
- Zeolith Energy efficient and hygienic drying
- Heat exchanger.
- Efficient SilentDrive BLDC motor
- DosageAssist detergent dispenser
- DetergentAware
- Aqua and loading sensor
- Neff Sparkle glass care system
- Water managment system

Design features

- TouchControl (metallic)
- Push button top controls
- White interior EmotionLight
- Time Light Light projection on the floor
- doorOpen Assist Simple to use, designed for handleless kitchens
- Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Time delay (3, 6 or 24 hours)
- Neff AquaStop® with guarantee
- Self-cleaning filter system with 3 piece corrugated filter
- Large item spray head, including Steam protection plate
- Stainless steel interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- ¹ Scale of Energy Efficiency Classes from A to G
- ² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- ³ Water consumption in litres per cycle (in programme Eco 50 ℃) ⁴ Duration of programme Eco 50 ℃

N 70, Fully-integrated dishwasher, 60 cm S187ZCX43G



