

V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland Phone +41 58 767 67 67, Fax +41 58 767 61 67 info@vzug.com, www.vzug.com

Brochure Combair V6000 60P





Selected product

Article no.: 2107300008EAN code: 7630029445099

Product category: OvenStandard width: 60 cmStandard height: 60 cm

- Front design: Black mirror glass

- Handle: Handle-free

Cooking space: Brillant enamelDrawer: without Appliance drawer

- Pyrolytic self-cleaning



Details Combair V6000 60P

Additional settings

- Sabbath mode

Compliant to regulation

- (EU) Nr. 65/2014

Design

- Product category: Oven

Standard width: 60 cmStandard height: 60 cm

- Front design: Black mirror glass

- Handle: Handle-free

Cooking space: Brillant enamelDrawer: without Appliance drawer

- Pyrolytic self-cleaning

Dimensions

- Niche height: 600 mm

- Max. niche height: 600 mm

- Niche width: 560 mm

- Max. niche width: 568 mm

- Niche depth: 560 mm

- Appliance height: 598 mm

- Max. appliance height: 598 mm

- Appliance width: 597 mm

- Appliance depth: 596 mm

- Depth of appliance when door is open: 483 mm

- Empty weight: 46 kg

Display and operation

- Display: Full-colour graphic display, touchscreen

- Controls: Touchscreen with CircleSlider

- Number of languages in display: 15

 Languages in display: de-CH, de-DE, fr-CH, fr-FR, it-CH, it-IT, en-GB, rm-CH, es-ES, nl-NL, ru-RU, uk-UA, tr-TR, he-IL, zh-CN

- Lighting: LED

- Number of lights: 2

Energy

- Consumption when off: 0.5 W

Automatic shut-off consumption with network switched on: 2 W

- Energy efficiency rating: A+

- Energy consumption - conventional cooking: 0.73 kWh

Energy consumption - convection/hot air cooking: 0.68 kWh

- Energy consumption of pyrolytic self-cleaning: 3.1 kWh

- Type of connection (1): 220-240V~

- Frequency (1): 50Hz

- Connected loads (1): 3.4 kW

- Fuse protection (1): 16 A

- Plug type: Schuko 16A

- Connection cable: 1.8 m



Oven features

- 3-point food probe
- Number of insertion levels: 4
- Automatic cooling
- AutoDoor
- Automatic light when programme ends
- Personal app order
- Background images as display feature
- National cuisines for EasyCook
- Filter nutritional behaviour for EasyCook
- Cool door front
- Easy door cleaning: by disassembling the door
- Personalisation
- Premium Swiss Quality
- Residual heat usage
- Signal tone at target temperature
- SoftClose
- SoftOpen
- Statistical data
- Time of day display
- Removable door
- Preheating delays timer function
- Panel height: 80 mm
- Combined operation: Oven
- Number of storable programmes: 50
- Food probe
- Rotisserie spit
- Climate sensor
- Cooking space volume: 69 l
- Max. temperature setting with top/bottom heat: 300 °C
- Max. temperature setting with forced convection/hot air: 300 $^{\circ}\text{C}$
- EcoStandby

Functions

- Switch to summer time
- Hot air Eco programme
- Hot air
- Humid hot air
- Top & bottom heat Eco programme
- Top/bottom heat
- Humid top/bottom heat
- Bottom heat
- Grill
- Convection grill
- PizzaPlus
- Soft-Roasting
- Food warming
- BakeOmatic with CCS
- EasyCook
- Favourites
- Desiccating
- Integrated recipes
- Plate warming

Additional data

- Feature level: 5

Service and interfaces

- Frequency range: 2,4 GHz
- WLAN as standard: 802.11 b/g/n
- ZUG-eye
- Warranty: 2 years
- V-ZUG-Home
- Interface: WLAN and Bluetooth