

G 7590 SCVi AutoDos

Fully integrated dishwashers with automatic dispensing thanks to AutoDos with integrated PowerDisk.



- Innovative design and maximum convenience - 3D MultiFlex Tray
- Communication with the appliance couldn't be easier - WiFiConn@ct
- Automatic door opening after two knocks – Knock2open
- Perfect illumination for easy loading -BrilliantLight
- All safely loaded where needed -Maxi comfort basket design



| EAN: 4002516102229 / material number: 11091770 | |
|--|-------------------------|
| Construction type | |
| Fully integrated dishwasher | • |
| 60 cm dishwasher | • |
| Design | |
| Control panel version | Fully integrated fascia |
| Control type | Softkeys |
| Display | 1-line text display |
| Display colour | White |
| MultiLingua | • |
| Convenience | |
| Automatic dispensing with PowerDisk | • |
| Knock2open | • |
| Door closing aid | AutoClose |
| BrilliantLight | • |
| Operating noise dB(A) re 1 pW | 42 |
| Time left display | • |
| Delay start up to 24 hours | • |
| In-operation indicator light | optical and acoustic |
| Display language selection | • |
| Efficiency and sustainability | |
| Energy efficiency class A+++ - D | A+++ |
| More economical than the threshold value for energy efficiency rating A+++ | 10% |
| Drying class | A |
| Water consumption in the Automatic programme in I from | 6.0 |
| Water consumption in the ECO programme in I | 8.9 |
| Energy consumption in the ECO programme in kWh | 0.73 |
| Annual water consumption in the ECO programme in I | 2,492 |
| Annual energy consumption in ECO programme in kWh | 208 |
| Energy consumption in stand-by mode in W | 0.3 |
| Networked standby | 1 |
| EcoFeedback | • |
| EcoPower technology | • |
| Hot water connection | • |
| Half load | • |
| Gentle treatment of crockery and glassware | |
| Fresh water dishwasher | • |
| AutoOpen drying | • |
| SensorDry | • |
| Active condensation drying | • |
| BrilliantGlassCare | • |

more information: http://www.miele.co.uk/domestic



G 7590 SCVi AutoDos

Fully integrated dishwashers with automatic dispensing thanks to AutoDos with integrated PowerDisk.



| Wash programmes | |
|--------------------------|-------------------|
| ECO | • |
| Automatic | • |
| Intensive 75 °C | • |
| Normal 60 °C | • |
| Gentle | • |
| QuickPowerWash | • |
| Hygiene | • |
| SolarSave | • |
| ExtraQuiet 38 dB(A) | • |
| Pasta/Paella | • |
| Tall items 65°C | • |
| Appliance care | • |
| Dishwashing options | |
| IntenseZone | • |
| Express | • |
| AutoDos | · |
| extra clean | • |
| extra dry | • |
| Basket design | |
| Cutlery loading | 3D MultiFlex tray |
| FlexCare glass holder | 4 |
| FlexCare cup rack | |
| Basket design | MaxiComfort |
| Number of place settings | 14 |
| Appliance networking | |
| Miele@home | |
| MobileControl | • |
| WiFiConn@ct | • |
| ShopConn@ct | |
| AutoStart function | |
| RemoteService | • |
| Safety | |
| Waterproof system | · |
| Filter indicator light | • |



G 7590 SCVi AutoDos

Fully integrated dishwashers with automatic dispensing thanks to AutoDos with integrated PowerDisk.

| 5 | |
|-----------------------------------|-------|
| Technical data | |
| Niche width in mm | 600 |
| Niche height in mm | 805 |
| Niche depth in mm | 570 |
| Appliance width in mm | 598 |
| Appliance height in mm | 805 |
| Appliance depth in mm | 570 |
| Depth with door open in cm | 116.5 |
| Net weight in kg | 48.0 |
| Total rated load in kW | 2.0 |
| Voltage in V | 230 |
| Fuse rating in A | 10 |
| Number of phases | 1 |
| Length of water inlet hose in m | 1.50 |
| Length of water drain hose in m | 1.50 |
| Length of supply lead in m | 1.80 |
| Min max. front panel weight in kg | 4.0 |
| [can be retrofitted by Service] | 7.0 |